

CP- UNR-4K4324-V2

32 Ch. H.265 4K Network Video Recorder



Main Features

- Up to 32 channel IP camera input
- H.265/H.264 dual codec decoding
- Up to 8Mp resolution preview and playback
- Max 200Mbps incoming bandwidth
- Support 4 SATA HDDs up to 24TB, 2 USB(1 USB3.0)
- HDMI / VGA simultaneous video output
- Support Multi-brand network cameras
- ONVIF Version 2.4 conformance
- Mobile Software: iCMOB, gCMOB
- CMS Software: KVMS Pro



CP- UNR-4K4324-V2

32 Ch. H.265 4K Network Video Recorder



Feature

Specification

Processor	Dual-core embedded processor
IP Camera Input	32 channel
Operating System	Embedded LINUX
Two-way Talk	1 channel Input, 1 channel Output, RCA
User Interface	GUI
Video Output	1 HDMI, 1 VGA
Compression	H.265/H.264
Video Resolution	3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768
Video Recording	Max 200Mbps
Video Display Split	1/4/8/9/16
Motion Detection	MD Zones: 396(22x18).
Video Loss	Supports
Camera Blank	Supports
Alarm Input	16 Channel, Low Level Effective, Green Terminal Interface
Alarm Output	4 Channel, NO/NC Programmable, Green Terminal Interface
Hard Disk	4 SATA III ports, up to 24TB
Smart Phone	iPhone, iPad, Android Phone
Trigger Events	Recording, PTZ, Tour, Alarm out, Video Push, Email, FTP, Snapshot, Buzzer & Screen tips
Recording Mode	Manual, Schedule (Regular, Continuous), MD (Video detection: Motion Detection, Tampering, Video Loss), Stop
Search Mode	Time/Date, Alarm, MD & Exact search (accurate to second), Smart search
Playback	Play, Pause, Stop, Rewind, Fast play, Slow play, Next file, Previous file, Next camera, Previous camera, Full screen, Repeat, Shuffle, Backup selection, Digital zoom
Backup Mode	USB Device/Network
Interface Ports	1 HDMI, 1 VGA, 2 USB (1USB 3.0), 1 RS485, 1 RS232
Max User Account	128 users
Record Interval	1~120 min (default: 60 min), Pre-record: 1~30 sec, Post-record: 10~300 sec
Ethernet	2 RJ-45 port
Protocols	HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, RTSP, UDP, SMTP, NTP, DHCP, DNS, IP Filter, PPPoE, DDNS, SNMP, FTP, IP Search, ONVIF 2.4, SDK, CGI Conformant
Power Supply	AC 100~240V, 50/60 Hz





CP- UNR-4K4324-V2

32 Ch. H.265 4K Network Video Recorder



Feature

Power Consumption

Working Temp

Dimensions

Weight

Specification

<13.7W (Without HDD)

-10 ~+55°C / 10~90%RH / 86~106kpa

440mm x 411.1mm x 76mm

4.7kg (without HDD)



*Product casing and specifications are subject to change without prior notice